



**CORPORATE
PRESENTATION
DECEMBER 2025**

Forward-Looking Statements – Certain statements included in this presentation are forward-looking statements which are made pursuant to the “safe harbor” provisions of the United States Private Securities Litigation Reform Act of 1995. They include estimates and statements that describe the Company’s future plans, objectives and goals, including words to the effect that the Company or management expects a stated condition or result to occur. When used herein, words such as “estimate”, “expect”, “believe”, “intend”, “budget”, “plan”, “projection”, “progressing”, “strategy”, “outlook”, “will”, and other similar expressions are intended to identify forward-looking statements. In particular statements relating to the estimated future metal prices, cash flows, expenses, capital costs, ore production, mine life, financing, construction and commissioning are forward-looking statements. Such forward- looking statements involve inherent risks and uncertainties and are subject to factors, many of which are beyond our control, that may cause actual results or performance to differ materially from those currently anticipated in such statements. Important factors that could cause actual results to differ materially from those expressed or implied by such forward-looking statements include among others metal price volatility, changes in the US/CDN dollar exchange rate, economic and political events affecting metal supply and demand, fluctuations in ore grade, ore tonnes milled, geological, technical, mining or processing problems, future profitability and production, availability of financing on acceptable terms

and unexpected problems during the development, construction and start-up phases of the underground mine. For a more comprehensive review of risk factors, please refer to the Company’s most recent Annual Report in Form 40-F/Annual Report under “Management’s Discussion and Analysis of Financial Results” and Annual Information Form under “Risk Factors” on file with the U.S. Securities and Exchange Commission and Canada provincial securities regulatory authorities. The Company disclaims any obligation to update or revise any forward-looking statements whether as a result of new information, events or otherwise. Readers are cautioned not to put undue reliance on these forward-looking statements. Descriptions of mineral reserves and resources estimates included herein under Canadian standards may not be comparable to similar information made available by U.S. companies subject to reporting and disclosure requirements of the United States Securities and Exchange Commission. See “Mineral Reserve and Resource Estimate – Note to U.S. Shareholders” in the Annual Report in Form 40-F.

The presentation has been prepared by management of Metals Creek Resources, and does not represent a recommendation to buy or sell these securities. Investors should always consult their investment advisors prior to making any Investment decision.



MANAGEMENT TEAM

Alexander (Sandy) Stares	Director, President and CEO
Michael Maclsaac P.Ge	VP Exploration
Nikolaos (Nick) S. Tsimidis	CFO, Director
Wayne Reid P.Ge	Director
Michael Stares	Director
Pat Mohan	Director
John Anderson	Director



CAPITAL STRUCTURE

STOCK INFO

(as of December 01, 2025)

Symbol: TSX-V: MEK

Issued & Outstanding:

209,516,866

Share Price: \$0.035

Market Cap: \$7.33 Million

WHY METALS CREEK?

- QUALITY PROJECTS IN FERTILE DISTRICTS NEAR PAST PRODUCERS AND CLOSE TO EXISTING INFRASTRUCTURE
- AU AND CU PROJECTS IN THE ABITIBI GREENSTONE BELT
- AU PROJECT IN WEST WABIGOON GREENSTONE BELT
- AU AND SB PROJECTS IN THE EMERGING CENTRAL NEWFOUNDLAND GOLD DISTRICT

OGDEN AU
210.49 g/t Au / 12.53m

FLINT NORTH AU
Grabs to 827g/t Au
New Au Discovery

TILLEX CU
2.58% Cu / 37.05m
* 1-1.3MT @ 1-1.56% Cu

CLARK'S BROOK AU
1.00g/t Au / 25.80m incl.
2.05g/t Au / 6.40m

CARELESS COVE AU-SB
Grabs to 13.34g/t Au
& 2.30% Sb

* EXPLORATION TARGET

A close-up photograph of a dark, textured rock surface, likely a mineral specimen, showing numerous small, bright yellow specks of gold. The background is blurred, showing more of the rock and some wooden elements.

Ogden Gold Project, Timmins Gold Camp Ontario


- Ogden Gold Project - 50/50 JV with Discovery Silver
- MEK as operator
- Drilling in the shadow of the Head Frames in Canada's most prolific gold camp
- 8km of strike length of the Porcupine-Destor Break, the key conduit for gold mineralization in the Timmins camp
- 6 mineralized gold zones
- 35 drillholes cut visible gold
- Property hosts an Exploration Target at Naybob South of 750,000 - 1,000,000 tonnes @ 3.5 - 4.5 g/t gold (see disclaimer at end of presentation)

	METALS CREEK RESOURCES CORP.
	NEWMONT
	PAN AMERICAN SILVER CORP.
	MELKIOR RESOURCES INC.
	GALLEON GOLD CORP.

SOURCES

* www.melkior.com

** www.galleongold.com



HOYLE POND MINE

BELL CREEK MINE

MCINTYRE MINE

PAMOUR MINE

HOLLINGER MINE

TIMMINS

DESANTIS MINE

NAYBOB MINE

DOME MINE

JOWSEY ZONE

WEST CACHE GOLD

ZAM ZAM ZONE

WEST TIMMINS MINE

1010 ZONE

PORCUPINE-DESTOR CORRIDOR

THUNDER CREEK DEPOSIT

THOMAS OGDEN ZONE

210.49g/t / 12.53m (2013)

49.96g/t / 9.00m (2013)

23.22g/t / 6.65m (2012)

22.50g/t / 3.00m (2012)

18.41g/t / 3.00m (2012)

10.05g/t / 6.85m (2010)

WEST DEEP ZONE

** 7.44g/t / 10.70m (2020)

** 7.16g/t / 9.70m (2020)

** 8.13g/t / 15.3m (2011)

** 9.2g/t / 11.00m (2010)

SHENKMAN ZONE


* 25.7g/t / 6.0m (2020)

* 23.5g/t / 8.0m (2019)

* 51.9g/t / 3.7m (2012)

144 ZONE





METALS CREEK RESOURCES — OGDEN PROPERTY

THOMAS OGDEN WEST
3.07g/t Au over 8.22m
Incl.
4.96g/t Au over 3.97m

THOMAS OGDEN
210.19g/t Au over 12.53m
Uncut incl.
2732.64g/t Au over 0.93m

PORPHYRY HILL
Grabs to 64.34g/t Au


NAYBOB WEST
Grabs to 12.30g/t Au

NAYBOB NORTH
7.47g/t Au over 1.00m

NAYBOB SOUTH
9.24g/t Au over 6.61m

Timiskaming Sediments

Porcupine-Destor Break






ROCK FACE LOOKING EASTERLY



OGM25-26 7.59g/t Au




NW-10 1.43g/t Au



5,300,510 mN

5,300,510 mN






MAFIC VOLCANICS



NAYBOB WEST







**Schematic Longitudinal Section
Thomas Ogden West to South Zone**

THOMAS OGDEN ZONE




- 33% of drill holes cut visible gold

MEK Drilling Results Include...


- 1.94g/t Au over 94.00m in 2011
- 8.62g/t Au over 18.55m in 2012
- 49.96g/t Au over 9.00m in 2013
- 210.19g/t Au over 12.53 m, including 2732.60g/t Au over 0.93m in 2013
- 4.06g/t Au over 13.45m in 2016
- 5.40g/t Au over 8.10m in 2021
- 4.20g/t Au over 5.60m in 2022
- 3.60g/t Au over 14.66m including 5.40g/t Au over 4.55m in 2022
- Step out drilling 480m west of TOZ hit 5.06g/t over 2.60m in 2016
- drilling 760m west of TOZ hit 3.07g/t over 8.22m in 2017

ALTERATION AND MINERALIZATION OF THOMAS OGDEN ZONE





TOG-21-65A: VG-bearing Zone (350.6 to 352.25m)





General Description of Zone



A total of 30 clusters of visible gold were observed between 350.62 and 352.25m (red-outlined area, as shown above). Specks and blebs of gold vary in coarseness between <math><0.25</math> and 3 mm, mainly occurring tangentially to, or within, narrow white/translucent quartz stringers/patches of silicification. Narrow short micro-bands/wisps of VG get as coarse as 3mm long by 1mm wide.

The zone is characterized as a strongly (silica/albite/iron carbonate) altered felsite unit. Trace fine- to very fine-grained sphalerite is also present locally within a blebby white quartz-carbonate veinlet in this interval (at 351.6m), and is associated with small clots of dark green chlorite and trace fine-grained pyrite. Very fine- to fine-grained disseminated cubic pyrite is the dominant sulfide and occurs as scattered grains throughout the altered matrix and less commonly, within the odd white quartz-carbonate veinlet. No visible arsenopyrite was discerned during logging. Trace very fine- to fine-grained blebs of chalcopyrite not observed within VG-bearing interval, but occurs proximal to both the upper and lower contacts of the interval at 350.50m, 354.90m and 356.03m.



Close-up Photos of VG-bearing Zone



350.63m: 3mm by 1mm wide VG wisp/band tangential to a flat-lying veinlet composed of pale grey/translucent quartz, hosted within altered felsite host rock



~352.2m: very fine- to fine-grained VG observed in close proximity to very fine-grained seams of brassy pyrite along the boundaries of a bleb of fine-grained white-pale grey feldspar grains and clear quartz




NAYBOB SOUTH ZONE

- Shallow Exploration Target of 750,000 - 1,000,000 tonnes @ 3.5 - 4.5 g/t Au that comes to surface (see disclaimer at end of presentation)
- Mineralization traced for 600 meters along strike


MEK Drill Results include...

- 18% of drillholes contained visible gold
- 9.24g/t Au over 6.61m in 2009
- 4.05g/t Au over 13.00m in 2009
- 4.89g/t Au over 3.05m in 2010
- 1.61g/t Au over 4.53 m and 5.73g/t Au over 4.80m in 2010
- 6.22g/t Au over 6.63m in 2011
- 3.19g/t Au over 3.00m in 2018

ALTERATION AND MINERALIZATION OF NAYBOB SOUTH ZONE



Tillex Copper Project



TILLEX PROPERTY LOCATION

TILLEX PROPERTY

OGDEN PROJECT

Timmins West

TIMMINS

MATHESON

Black Fox

Jonpol

Holloway

Holt

Buffonta



PORCUPINE - DESTOR FAULT

KIRKLAND LAKE

Macas-

LARDER LAKE — CADALLAC FAULT

- Producing Mines
- Past Producing Mines



TILLEX CU ZONE


- Shallow Exploration Target of 1-1.34Mt @ 1 - 1.56% Cu that comes to surface. (see Disclaimer at end of presentation)
- Mineralization traced for 465 meters along strike
- MEK has drilled 5000m to date
- Significant copper with quality silver and local lead & zinc grades
- Mainly hosted in folded graphitic argillites

MEK Drill Results include...

- 1.83% Cu + 8.63g/t Ag over 81.13m
including 2.73% Cu + 7.74g/t Ag over 27.00m
- 1.43% Cu + 6.78g/t Ag over 66.30m
including 2.95% Cu + 14.99g/t Ag over 14.80m
- 1.65% Cu + 33.24g/t Ag over 85.48m
including 5.55% Cu + 355.30g/t Ag over 5.00m
- 1.69% Cu + 7.05g/t Ag over 110.00m
including 2.83% Cu + 13.85g/t Ag over 23.60m


NW

SE



TILLEX CU
 GRADES DISPLAYED Cu % and Ag g/t






TILLEX CU

VIEW LOOKING NORTHEAST

50 meters





TILLEX CU

VIEW LOOKING NORTHEAST

50 meters



STYLES OF COPPER MINERALIZATION OF THE TILLEX CU ZONE




Hole	From (m)	To (m)	Length (m)	Cu%	Ag g/t
TX08-001	37.20	65.00	27.80	0.272	2.28
TX08-002	30.95	128.00	97.05	1.194	5.32
incl.	30.95	68.00	37.05	2.583	7.72
TX08-003	36.10	41.00	4.90	0.616	4.03
and	50.63	73.50	22.87	1.051	6.06
incl.	54.00	62.30	8.30	2.362	10.91
TX08-004	42.00	123.13	81.13	1.834	8.63
incl.	53.00	80.00	27.00	2.726	7.74
TX08-005	51.51	123.00	71.49	1.293	7.27
incl.	51.51	57.66	6.15	1.288	5.98
incl.	73.66	107.95	34.29	2.160	10.74
incl.	117.08	123.00	5.92	1.137	6.14
TX08-006	39.84	93.03	53.19	0.659	3.19
incl.	64.00	85.00	21.00	1.060	3.62
TX08-007	110.43	124.80	14.37	0.874	3.98
incl.	110.43	117.30	6.87	1.270	4.92
TX08-008	48.00	90.00	42.00	1.395	5.81
incl.	48.00	71.00	23.00	2.136	5.40
TX08-010	46.70	68.30	21.60	0.830	5.20
incl.	46.70	54.00	7.30	0.985	10.37
TX08-015	41.20	49.00	7.80	0.659	3.19
and	100.00	114.00	14.00	1.106	9.34
incl.	100.00	107.00	7.00	1.504	7.11
TX11-001	40.70	107.00	66.30	1.432	6.78
incl.	87.20	102.00	14.80	2.952	14.99
TX11-002	39.30	82.50	43.20	1.265	5.45
TX11-003	86.84	96.88	10.04	1.391	8.97
TX11-004	55.10	60.00	4.90	1.197	6.81
TX11-005	41.64	83.00	41.36	0.446	5.45
incl.	41.64	47.64	6.00	1.471	8.68

Hole	From (m)	To (m)	Length (m)	Cu%	Ag g/t
TX11-006	48.00	81.00	33.00	0.855	9.36
incl.	48.00	57.50	9.50	2.062	6.35
incl.	73.53	79.35	5.82	0.298	20.19
TX11-007	No significant assays				
TX11-008	54.77	140.25	85.48	1.650	33.24
incl.	89.00	94.00	5.00	5.553	355.30
TX24-020	34.00	144.00	110.00	1.687	7.05
incl.	57.00	83.72	26.72	2.457	6.89
and	103.40	127.00	23.60	2.830	13.85
TX24-021	38.60	102.50	63.90	1.940	10.22
incl.	43.00	49.00	6.00	1.700	32.95
and	54.00	69.20	15.20	3.210	4.77
and	83.60	101.50	17.90	2.580	15.88
TX24-022	36.95	129.00	92.05	2.120	12.18
incl.	98.00	127.00	29.00	3.260	20.92
and	108.60	127.00	18.40	4.020	19.70
TX24-023	Abandoned due to ground conditions				
TX24-025	33.30	43.08	9.78	1.075	3.18
TX24-026	48.65	87.90	39.25	0.694	1.90
and	123.00	135.50	12.50	0.891	4.24
TX24-027	65.00	106.30	41.30	1.508	9.39
and	124.45	138.40	13.95	1.704	7.04
TX24-028	41.60	56.80	15.20	1.865	4.81
incl.	42.60	50.60	8.00	3.044	5.34
TX25-029	72.00	81.09	9.09	0.541	1.97
TX25-030	No significant assays				
TX25-031	31.80	78.20	46.40	1.674	3.68
incl.	31.80	51.00	19.20	3.395	5.64
and	105.00	120.80	15.80	1.030	3.41

NEWFOUNDLAND PROJECTS

- In central Newfoundland in the emerging and exciting gold belt
- Adjacent to NewFound Gold
- Properties are prospective for gold and antimony
- New discoveries of gold with grabs to 13.34 g/t Au and 2.3 % Sb made in late 2025.
- 3 properties available for option





Sample CRD07 2.78g/t Au and 2.30% Sb

CARELESS COVE AU-SB PROPERTY

024096M

LILLIAN ZONE
Grabs to 4.10g/t Au


DIANA ZONE
Grabs to 2.28g/t Au

13.34g/t Au

10.53g/t Au & 0.12% Sb
2.95g/t Au & 0.55% Sb


2.78g/t Au & 2.30% Sb

ROAD ZONE Au-Sb



OTHER ONTARIO PROJECTS

FLINT NORTH



FLINT NORTH

- Located in the western portion of the Wabigoon Greenstone belt
- Very close to the past producing Cameron Lake Au deposit
- Four claim blocks covering significant showings
- Two claim blocks straddle the regional Pipestone-Cameron Lake break
- Project has >17 gold showings with grades up to 720g/t Au
- Two new gold discoveries in 2023
- Au-in-soil anomalies still remain unexplained
- Numerous trenching targets with some drill ready targets






Bag Lake - MM Zone to 9.43g/t Au



Dogpaw - to 0.24g/t Au




Flint Lake - Flint Mine sample with VG



Bag Lake - new discovery to 11.40g/t Au



Flint Lake - new discovery to 2.06g/t Au



Flint Lake - Flint Mine quartz-carbonate vein

Disclaimer

- ▶ *For the Exploration Target at Tillex, the potential quantity and grade is conceptual in nature, there has been insufficient exploration to define a mineral resource and it is uncertain if further exploration will result in the target being delineated as a mineral resource. The basis on which the disclosed potential quantity and grade has been determined is Pacifica Resources Ltd., 2005-6 Canadian Mines Handbook, page 318.*
- ▶ *For the Exploration Target at Naybob South, the potential quantity and grade is conceptual in nature, there has been insufficient exploration to define a mineral resource and it is uncertain if further exploration will result in the target being delineated as a mineral resource. The basis on which the disclosed potential quantity and grade has been determined is Canadian Mining Handbook, OGS MD142A06NW00022 references 1996, OGS OFR 5943 page 245.*
- ▶ *The surface grab samples described in this presentation are selective by nature and are unlikely to represent average grades of the property.*